



Farm & Garden Equipment

DelMorino SRL


Del Morino srl , v.Caroni di Sotto 19,
I-52033 Caprese Michelangelo AR Italy
Ph: +39-575-791059 Fax: +39-575-791210
E.mail: export@del-morino.it
<http://www.del-morino.it>

USE AND MAINTENANCE MANUAL


MOWER TYPE "SRM" "PRM" "XRM"

MOWER TYPE "FM" "FMRD" "XFM"


PRM




SRM




TRANSMISSION




HYDRAULICS SYSTEM



PRM-FMRD-SRM-FM TRANSMISSION



PRM-FMRD FRAME COMPONENTS




- ***- WHEEL BRACKET / WHEEL JOINT

Mower type	Rubber wheel Ø 210		Rubber wheel Ø 310		Tire wheel Ø 330	
	Wheel code	Wheel bracket code	Wheel code	Wheel bracket code	Wheel code	Wheel bracket code
PRM 120 FMRD 120	SRM071D	PRM063VD	SRM116D	PRM075VD	SRM115D	PRM075VD
PRM 135 FMRD 135	SRM071D	PRM066VD	SRM116D	PRM078VD	SRM115D	PRM078VD
PRM 150 FMRD 150	SRM071D	PRM065VD	SRM116D	PRM076VD	SRM115D	PRM076VD
PRM 180 FMRD 180	SRM071D	PRM064VD	SRM116D	PRM077VD	SRM115D	PRM077VD
PRM 215	SRM071D	PRM064VD	SRM116D	PRM077VD	SRM115D	PRM077VD
Standard	X					
Option			X			X


NOTE: For wheels spare parts see page 25.

KIT TO TRANSFORM REAR MOWER IN FRONT MOWER AND VICEVERSA





The kit is suitable to transform the rear mowers, rear discharge (PRM) and side discharge (SRM), into front mowers, rear discharge (FMRD) and side discharge (FM).
The kit is the same for the three dimensions 120, 135, 150 e 180.

USA OPTION FRAME COMPONENTS




CENTRALIZED LUBRICATION COMPONENTS




WHEELS AND FRONT ROLL COMPONENTS


∅330 - SRM115D



∅310 - SRM116D



□M100D



∅210 - SRM071D

