





Type: mower
Specification: R.OS/J185-OS;
205-OS;225-OS
Version: 2014-1
Page :2/1





Type: mower
Specification: R.OS/J185-OS;
205-OS;225-OS
Version: 2014-1
Page :2/1



No.	Art. Nr.	Art. Code	Aantal	Gewicht	Totaal Gewicht
1	14010100020	GB/T 5783-2000	11	0,018	0,198
2	14040000002	GB/T 95-2002	26	0,002	0,052
3	11000000564	R.OS/J225-OS-127	1	2,089	2,089
	11000000565	R.OS/J205-OS-128	1	1,9	1,9
	11000000566	R.OS/J185-OS-129	1	1,71	1,71
4	11000000562	R.OS/J225-OS-107	1	0,912	0,912
	11000000568	R.OS/J205-OS-107	1	0,83	0,83
	11000000569	R.OS/J185-OS-107	1	0,74	0,74
5	14050100002	GB/T 889.1-2000	11	0,005	0,055
6	11000000390	R.OS/J225-OS-128	1	6,327	6,327
	11000000394	R.OS/J205-OS-128	1	5,75	5,75
	11000000395	R.OS/J185-OS-128	1	5,18	5,18
7	14050100006	GB/T 889.1-2000	8	0,013	0,104
8	14050100003	GB/T 889.1-2000	4	0,009	0,036
9	14040000003	GB/T 95-2002	14	0,003	0,042
10	11000000392	R.OS/J225-OS-131	1	2,238	2,238
11	14060100032	GB/T 70.3-2000	2		0
12	14018000002	G-1/8	5	0,007	0,035
13	14040000004	GB/T 95-2002	42	0,006	0,252
14	14010100071	GB/T 5783-2000	15	0,052	0,78
15	11012700094	R.OS/J225-OS-132	2	0,922	1,844
16	11011500043	GB/T 281-94	2	0,52	1,04
17	14000400049	GB 893.1-86	2	0,025	0,05
18	11011200030	TC40*80*10	3	0,028	0,084
19	11000000391	R.OS/J225-OS-130	1	2,238	2,238
20	14060100030	GB/T 70.3-2000	8		0
21	11000201039	R.OS/J225-OS-019	1	54,557	54,557
	11000201044	R.OS/J205-OS-019	1	49,8	49,8
	11000201048	R.OS/J185-OS-019	1	45	45
22	14010100065	GB/T 5783-2000	18	0,039	0,702
23	14020000008	GB/T 93-1987	28	0,003	0,084
24	11012700090	R.OS/J225-OS-121	1	2,528	2,528
25	11011500046	GB/T 281-94	2	0,944	1,888
26	14000400053	GB 893.1-86	2	0,03	0,06
27	11011200044	TC50*90*10	2	0,033	0,066
28	11011800038	(无LOGO)	1	0,234	0,234
29	14020000005	GB/T 93-1987	3	0	0
30	14010100003	GB/T 5783-2000	3	0,007	0,021
31	14040000001	GB/T 95-2002	3	0,001	0,003
32	14050100008	GB/T 889.1-2000	18	0,029	0,522
	14050100008	GB/T 889.1-2000	16	0,029	0,464
	14050100008	GB/T 889.1-2000	14	0,029	0,406
33	11010200002	BCR140.111	18	1,195	21,51
	11010200002	BCR140.111	16	1,195	19,12
	11010200002	BCR140.111	14	1,195	16,73
34	14010000024	GB/T 5782-2000	18	0,189	3,402
	14010000024	GB/T 5782-2000	16	0,189	3,024
	14010000024	GB/T 5782-2000	14	0,189	2,646
35	14010100038	GB/T 5783-2000	4	0,023	0,092

No.	Art. Nr.	Art. Code	Aantal	Gewicht	Totaal Gewicht
36	11011800081	12x15x7	4	0,001	0,004
37	14020000007	GB/T 93-1987	5	0,002	0,008
38	11000000567	R.OS/J225-OS-133	1	0,555	0,555
39	11000201035	R.OS/J225-OS-013	1	66,83	66,83
	11000201043	R.OS/J205-OS-013	1	61,01	61,01
	11000201047	R.OS/J185-OS-013	1	55,2	55,2
40	11012700091	R.OS/J225-OS-122	1	2,784	2,784
41	11011900004	Z6-40*80	1	0,822	0,822
42	11011400042	SPB-167-4-80	1	4,788	4,788
43	11000201302	R.OS/J225-OS-011	1	179,795	179,795
	11000201303	R.OS/J205-OS-011	1	168,9	168,9
	11000201304	R.OS/J185-OS-011	1	158,1	158,1
44	14020000010	GB/T 93-1987	1	0,008	0,008
45	14010100109	GB/T 5783-2000	1	0,118	0,118
46	11000201038	R.OS/J225-OS-017	1	2,48	2,48
47	14000300010	GB 894.1-86	1	0,001	0,001
48	11011500085	GB/T 276-94	2		0
49	11011400040	SPB-119-4-Z	1	2,499	2,499
50	14000300025	GB 894.1-86	1	0,005	0,005
51	11011300035	5LXA1315	4		0
52	11011400041	SPB-219-4-80	1	8,214	8,214
53	11000201307	R.OS/J225-OS-018	1	3,33	3,33
54	11011900009	Z6-35*80	1	0,99	0,99
55	11000201306	R.OS/J225-OS-016	1	2,05	2,05
56	14020000006	GB/T 93-1987	4	0,001	0,004
57	14010100016	GB/T 5783-2000	4	0,012	0,048
58	11010000037	NGC190-M3.1F	1	44,245	44,245
59	11011800013	EF175.123	1	0,55	0,55
60	14010100040	GB/T 5783-2000	4	0,03	0,12
61	11000201310	R.OS/J225-OS-023	1	7,02	7,02
62	14010100067	GB/T 5783-2000	4	0,043	0,172
63	11000201305	R.OS/J225-OS-012	1	13,77	13,77
64	14050000004	GB/T 41-2000	3	0,014	0,042
65	14040000006	GB/T 95-2002	1	0,011	0,011
66	11000000393	R.OS/J225-OS-134	1	0,598	0,598
67	11000201036	R.OS/J225-OS-014	1	4,18	4,18
68	11010300039	R.OS/J225-OS-116	1	0,237	0,237
69	14010100037	GB/T 5783-2000	1	0,021	0,021
70	11000201040	R.OS/J225-OS-022	1	0,09	0,09
71	11011200054	Φ80X10	1	0,081	0,081
72	11000100564	R.OS/J225-OS-135	1	9,248	9,248
73	11011600012	80*85*60SF-2	2	0,303	0,606
74	14040100004	GB/T 96.2-2002	2	0,022	0,044
75	11012900065	R.OS/J225-OS-103	1	5,399	5,399
76	11012900064	R.OS/J225-OS-101	1	15,376	15,376
77	11000100562	R.OS/J225-OS-119	1	0,276	0,276
78	14000200001	GB1152.89	2	0,004	0,008
79	11000000563	R.OS/J225-OS-113	1	0,516	0,516
80	11000100557	R.OS/J225-OS-105	1	0,343	0,343

No.	Art. Nr.	Art. Code	Aantal	Gewicht	Totaal Gewicht
81	14000000043	GB91.86	2		0
82	11000100561	R.OS/J225-OS-118	1	0,383	0,383
83	11012900063	R.OS/J225-OS-104	1	3,369	3,369
84	14040000008	GB/T 95-2002	4	0,031	0,124
85	11010600090	(1/4)	2	0,029	0,058
86	11011200000	BS/A13.70(G1/4)	7	0	0
87	11010900054	R.OS/J225-OS-112	1	0,073	0,073
88	11010700206	R.OS/J225-OS-123	1	0,663	0,663
89	11010700207	R.OS/J225-OS-124	1	0,636	0,636
90	11010900036	STU.G1\4	1	337,04	337,04
91	11010900053	R.OS/J225-OS-108	1	0,196	0,196
92	11011200003	BS/A21.50(G1/2)	2	0,001	0,002
93	11010900020	G1\2	2	0,125	0,25
94	11000100560	R.OS/J225-OS-117	1	0,399	0,399
95	11011000079	R.OS/J225-OS-109	1	7,757	7,757
96	11000100449	R.OS/J225-OS-111	1	0,885	0,885
	11000100450	R.OS/J205-OS-111	1	0,806	0,806
	11000100451	R.OS/J185-OS-111	1	0,73	0,73
97	11010500036	R.OS/J225-OS-126	101	0,13	13,13
	11010500036	R.OS/J225-OS-126	93	0,13	12,09
	11010500036	R.OS/J225-OS-126	84	0,13	10,92
98	11000201037	R.OS/J225-OS-015	1	4,16	4,16
	12000003535	R.OS/J225-OS-011-09	1	0,075	0,075
	14010100039	GB/T 5783-2000	1	0,026	0,026